

## NEET 2019 (05-05-2019) QUESTIONS & ANSWERS

1. Respiratory Quotient (RQ) value of tripalmitin is:

- (1) 0.07                      (2) 0.09  
(3) 0.9                        (4) 0.7

<b>ANSWER</b>	<b>4</b>
---------------	----------

2. A gene locus has two alleles A, a. If the frequency of dominant allele A is 0.4. then what will be the frequency of homozygous dominant, heterozygous and homozygous recessive individuals in the population ?

- (1) 0.16 (AA); 0.48 (Aa); 0.36 (aa)  
(2) 0.16 (AA); 0.36 (Aa); 0.48 (aa)  
(3) 0.36 (AA); 0.48 (Aa); 0.16 (aa)  
(4) 0.16 (AA); 0.24 (Aa); 0.36 (aa)

<b>ANSWER</b>	<b>1</b>
---------------	----------

3. Match the following genes of the Lac operon with their respective products:

- |            |                            |
|------------|----------------------------|
| (a) i gene | (i) $\beta$ -galactosidase |
| (b) z gene | (ii) Permease              |
| (c) a gene | (iii) Repressor            |
| (d) y gene | (iv) Transacetylase        |

Select the **correct** option.

- |     |       |       |      |      |
|-----|-------|-------|------|------|
|     | (a)   | (b)   | (c)  | (d)  |
| (1) | (iii) | (i)   | (iv) | (ii) |
| (2) | (iii) | (iv)  | (i)  | (ii) |
| (3) | (i)   | (iii) | (ii) | (iv) |
| (4) | (iii) | (i)   | (ii) | (iv) |

<b>ANSWER</b>	<b>1</b>
---------------	----------

4. Polyblend, a fine powder of recycled modified plastic, has proved to be a good material for :

- (1) construction of roads  
(2) making tubes and pipes  
(3) making plastic sacks  
(4) use as a fertilizer

<b>ANSWER</b>	<b>1</b>
---------------	----------

5. In some plants, the female gamete develops into embryo without fertilization. This phenomenon is known as :

- (1) Syngamy  
(2) Parthenogenesis  
(3) Autogamy  
(4) Parthenocarpy

<b>ANSWER</b>	<b>2</b>
---------------	----------

6. Which of the following ecological pyramids is generally inverted ?

- (1) Pyramid of biomass in a forest  
(2) Pyramid of biomass in a sea  
(3) Pyramid of numbers in grassland  
(4) Pyramid of energy

<b>ANSWER</b>	<b>2</b>
---------------	----------

7. Match Column -I with Column- II.

- | Column -I      | Column -II  |
|----------------|---|
| (a) Saprophyte | (i) Symbiotic association of fungi with plant roots |
| (b) Parasite   | (ii) Decomposition of dead organic materials        |
| (c) Lichens    | (iii) Loving on living plants or animals            |
| (d) Mycorrhiz  | (iv) Symbiotic association of algae and fungi       |

Choose the **correct** answer from the options given below:

- |     |       |       |       |      |
|-----|-------|-------|-------|------|
|     | (a)   | (b)   | (c)   | (d)  |
| (1) | (ii)  | (i)   | (iii) | (iv) |
| (2) | (ii)  | (iii) | (iv)  | (i)  |
| (3) | (i)   | (ii)  | (iii) | (iv) |
| (4) | (iii) | (ii)  | (i)   | (iv) |

<b>ANSWER</b>	<b>2</b>
---------------	----------

8. Which of the statements given below is **not** true about formation of Annual Rings in trees ?

- (1) Activity of cambium depends upon variation in climate.
- (2) Annual rings are not prominent in trees of temperate region.
- (3) Annual ring is a combination of spring wood and autumn wood produced in a year.
- (4) Differential activity of cambium causes light and dark bands of tissue - early and late wood respectively.

<b>ANSWER</b>	<b>2</b>
---------------	----------

9. Which of the following statements is **incorrect** ?

- (1) Conidia are produced exogenously and ascospores endogenously.
- (2) Yeasts have filamentous bodies with long thread-like hyphae.
- (3) Morels and truffles are edible delicacies.
- (4) *Claviceps* is a source of many alkaloids and LSD.

<b>ANSWER</b>	<b>2</b>
---------------	----------

10. Select the **correct** sequence of organs in the alimentary canal of cockroach starting from mouth:

- (1) Pharynx → Oesophagus → Gizzard → Ileum → Crop → Colon → Rectum
- (2) Pharynx → Oesophagus → Ileum → Crop → Gizzard → Colon → Rectum
- (3) Pharynx → Oesophagus → Crop → Gizzard → Ileum → Colon → Rectum
- (4) Pharynx → Oesophagus → Gizzard → Crop → Ileum → Colon → Rectum

<b>ANSWER</b>	<b>3</b>
---------------	----------

11. Which of the following pair of organelles **does not** contain DNA ?

- (1) Lysosomes and Vacuoles
- (2) Nuclear envelope and Mitochondria
- (3) Mitochondria and Lysosomes
- (4) Chloroplast and Vacuoles

<b>ANSWER</b>	<b>1</b>
---------------	----------

12. Which of the following statements is correct ?

- (1) Cornea is convex, transparent layer which is highly vascularised.
- (2) Cornea consists of dense matrix of collagen and is the most sensitive portion of the eye.
- (3) Cornea is an external, transparent and protective proteinaceous covering of the eye-ball.
- (4) Cornea consists of dense connective tissue of elastin and can repair itself.

<b>ANSWER</b>	<b>3</b>
---------------	----------

13. Pinus seed **cannot** germinate and establish without fungal association. This is because:

- (1) it has very hard seed coat.
- (2) its seeds contain inhibitors that prevent germination.
- (3) its embryo is immature.
- (4) it has obligate association with mycorrhizae.

<b>ANSWER</b>	<b>4</b>
---------------	----------

14. Expressed Sequence Tags (ESTs) refers to:

- (1) DNA polymorphism
- (2) Novel DNA sequences
- (3) Genes expressed as RNA
- (4) Polypeptide expression

<b>ANSWER</b>	<b>3</b>
---------------	----------

15. The Earth Summit held in Rio de Janeiro in 1992 was called:

- (1) to assess threat posed to native species by invasive weed species.

- (2) for immediate steps to discontinue use of CFCs that were damaging the ozone layer.  
 (3) to reduce CO<sub>2</sub> emissions and global warming.  
 (4) for conservation of biodiversity and sustainable utilization of its benefits.
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>4</b> |
|---------------|----------|
16. Which of the following is a commercial blood cholesterol lowering agent ?  
 (1) Streptokinase  
 (2) Lipases  
 (3) Cyclosporin A  
 (4) Statin
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>4</b> |
|---------------|----------|
17. Which of the following muscular disorders is inherited ?  
 (1) Myasthenia gravis  
 (2) Botulism  
 (3) Tetany  
 (4) Muscular dystrophy
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>4</b> |
|---------------|----------|
18. Concanavalin A is:  
 (1) a lectin (2) a pigment  
 (3) an alkaloid (4) an essential oil
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>1</b> |
|---------------|----------|
19. What is the fate of the male gametes discharged in the synergid ?  
 (1) One fuses with the egg, other(s) fuse(s) with synergid nucleus.  
 (2) One fuses with the egg and other fuses with central cell nuclei.  
 (3) One fuses with the egg, other(s) degenerate(s) in the synergid.  
 (4) All fuse with the egg.
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>2</b> |
|---------------|----------|
20. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is :  
 (1) Parietal (2) Free central  
 (3) Basal (4) Axile
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>1</b> |
|---------------|----------|
21. DNA precipitation out of a mixture of biomolecules can be achieved by treatment with:  
 (1) Methanol at room temperature  
 (2) Chilled chloroform  
 (3) Isopropanol  
 (4) Chilled ethanol
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>4</b> |
|---------------|----------|
22. The concept of "*Omnis cellula-e cellula*" regarding cell division was first proposed by:  
 (1) Schleiden  
 (2) Aristotle  
 (3) Rudolf Virchow  
 (4) Theodore Schwann
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>3</b> |
|---------------|----------|
23. Purines found both in DNA and RNA are:  
 (1) Guanine and cytosine  
 (2) Cytosine and thymine  
 (3) Adenine and thymine  
 (4) Adenine and guanine
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>4</b> |
|---------------|----------|
24. Which of the following sexually transmitted diseases is **not** completely curable ?  
 (1) Genital herpes  
 (2) Chlamydia  
 (3) Gonorrhoea  
 (4) Genital warts
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>1</b> |
|---------------|----------|
25. Cells in G<sub>0</sub> phase :  
 (1) suspend the cell cycle  
 (2) terminate the cell cycle –  
 (3) exit the cell cycle  
 (4) enter the cell cycle
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>3</b> |
|---------------|----------|
26. Which of the following is the most important cause for animals and plants being driven to extinction ?  
 (1) Economic exploitation  
 (2) Alien species invasion  
 (3) Habitat loss and fragmentation  
 (4) Drought and floods
- |               |          |
|---------------|----------|
| <b>ANSWER</b> | <b>3</b> |
|---------------|----------|

27. It takes very long time for pineapple plants to produce flowers. Which combination of hormones can be applied to artificially induce flowering in pineapple plants throughout the year to increase yield?

- (1) Gibberellin and Abscisic acid
- (2) Cytokinin and Abscisic acid
- (3) Auxin and Ethylene
- (4) Gibberellin and Cytokinin

<b>ANSWER</b>	<b>3</b>
---------------	----------

28. Which of the following protocols did aim for reducing mission of chlorofluorocarbons into the atmosphere?

- (1) Gothenburg Protocol
- (2) Geneva Protocol
- (3) Montreal Protocol
- (4) Kyoto Protocol

<b>ANSWER</b>	<b>3</b>
---------------	----------

29. The frequency of recombination between gene pairs on the same chromosome as a measure of the distance between genes was explained by:

- (1) Alfred Sturtevant
- (2) Sutton Boveri
- (3) T.H. Morgan
- (4) Gregor J.Mendel

<b>ANSWER</b>	<b>1</b>
---------------	----------

30. *Thiobacillus* is a group of bacteria helpful in carrying out:

- (1) Nitrification
- (2) Denitrification
- (3) Nitrogen fixation
- (4) Chemoautotrophic fixation

<b>ANSWER</b>	<b>2</b>
---------------	----------

31. Consider the following statements :

- (A) Coenzyme or metal ion that is tightly bound to enzyme protein is called prosthetic group.
- (B) A complete catalytic active enzyme with its bound prosthetic group is called apoenzyme.

Select the **correct** option.

- (1) Both (A) and (B) are false.
- (2) (A) is false but (B) is true.
- (3) Both (A) and (B) are true.
- (4) (A) is true but (B) is false.

<b>ANSWER</b>	<b>1</b>
---------------	----------

32. Xylem translocates:

- (1) Water, mineral salts and some organic nitrogen only
- (2) Water, mineral salts, some organic nitrogen and hormones
- (3) Water only
- (4) Water and mineral salts only

<b>ANSWER</b>	<b>2</b>
---------------	----------

33. Tidal Volume and Expiratory Reserve Volume of an athlete is 500 mL and 1000 mL respectively. What will be his Expiratory Capacity if the Residual Volume is 1200 mL

- (1) 2200 mL
- (2) 2700 mL
- (3) 1500 mL
- (4) 1700 mL

<b>ANSWER</b>	<b>3</b>
---------------	----------

34. What is the genetic disorder in which an individual has an overall masculine development, gynaecomastia, and is sterile ?

- (1) Edward syndrome
- (2) Down's syndrome
- (3) Turner's syndrome
- (4) Klinefelter's syndrome

<b>ANSWER</b>	<b>4</b>
---------------	----------

35. Select the **correctly** written scientific name of Mango which was first described by Carolus Linnaeus:

- (1) *Mangifera indica*
- (2) *Mangifera Indica*
- (3) *Mangifera indica* Car. Linn.
- (4) *Mangifera indica* Linn.

<b>ANSWER</b>	<b>4</b>
---------------	----------

36. Select the **correct** sequence for transport of sperm cells in male reproductive system.

- (1) Seminiferous tubules → Vasa efferentia → Epididymis → Inguinal canal → Urethra
- (2) Testis → Epididymis → Vasa efferentia → Vas deferens → Ejaculatory duct → Inguinal canal → Urethra → Urethral meatus
- (3) Testis → Epididymis → Vasa efferentia → Rete testis → Inguinal canal → Urethra
- (4) Seminiferous tubules → Rete testis → Vasa efferentia → Epididymis → Vas deferens → Ejaculatory duct → Urethra → Urethral meatus

<b>ANSWER</b>	<b>4</b>
---------------	----------

37. In a species, the weight of newborn ranges from 2 to 5 kg. 97% of the newborn with an average weight between 3 to 3.3 kg survive whereas 99% of the infants born with weights from 2 to 2.5 kg or 4.5 to 5 kg die. Which type of selection process is taking place ?

- (1) Disruptive Selection
- (2) Cyclical Selection
- (3) Directional Selection
- (4) Stabilising Selection

<b>ANSWER</b>	<b>4</b>
---------------	----------

38. Variations caused by mutation, as proposed by Hugo de Vries, are :

- (1) small and directional
- (2) small and directionless
- (3) random and directional
- (4) random and directionless

<b>ANSWER</b>	<b>4</b>
---------------	----------

39. Following statements describe the characteristics of the enzyme Restriction Endonuclease. Identify the **incorrect** statement.

	Column -I		Column II
(a)	P-wave	(i)	Depolarization of ventricles
(b)	QRS complex	(ii)	Repolarization of ventricles
(c)	T-wave	(iii)	Coronary ischemia
(d)	Reduction in the size of T-wave	(iv)	Depolarisation of atria
		(v)	Repolarisation of atria

- (1) The enzyme cuts the sugar-phosphate backbone at specific sites on each strand.
- (2) The enzyme recognizes a specific palindromic nucleotide sequence in the DNA
- (3) The enzyme cuts DNA molecule at identified position within the DNA.
- (4) The enzyme binds DNA at specific sites and cuts only one of the two strands.

<b>ANSWER</b>	<b>4</b>
---------------	----------

40. Drug called 'Heroin' is synthesized by:

- (1) glycosylation of morphine
- (2) nitration of morphine
- (3) methylation of morphine
- (4) acetylation of morphine

<b>ANSWER</b>	<b>4</b>
---------------	----------

41. Due to increasing air-borne allergens and pollutants, many people in urban areas are suffering from respiratory disorder causing wheezing due to:

- (1) proliferation of fibrous tissues and damage of the alveolar walls.
- (2) reduction in the secretion of surfactants by pneumocytes.
- (3) benign growth on mucous lining of nasal cavity.
- (4) inflammation of bronchi and bronchioles.

<b>ANSWER</b>	<b>4</b>
---------------	----------

42. Which of the following statements is **incorrect** ?
- (1) Infective constituent in viruses is the protein coat.
  - (2) Prions consist of abnormally folded proteins.
  - (3) Viroids lack a protein coat.
  - (4) Viruses are obligate parasites

<b>ANSWER</b>	<b>1</b>
---------------	----------

43. Match the column –I with Column –II  
Select the correct option.

	Column -I		Column II
(a)	P-wave	(i)	Depolarization of ventricles
(b)	QRS complex	(ii)	Repolarization of ventricles
(c)	T –wave	(iii)	Coronary ischemia
(d)	Reduction in the size of T-wave	(iv)	Depolarisation of atria
		(v)	Repolarisation of atria

- |     |     |     |     |     |
|-----|-----|-----|-----|-----|
|     | (a) | (b) | (c) | (d) |
| (1) | ii  | I   | v   | iii |
| (2) | ii  | iii | v   | iv  |
| (3) | iv  | I   | ii  | iii |
| (4) | iv  | I   | ii  | v   |

<b>ANSWER</b>	<b>3</b>
---------------	----------

44. Which one of the following statements regarding post-fertilization development in flowering plants is **incorrect** ?
- (1) Central cell develops into endosperm
  - (2) Ovules develop into embryo sac
  - (3) Ovary develops into fruit
  - (4) Zygote develops into embryo

<b>ANSWER</b>	<b>2</b>
---------------	----------

45. Under which of the following conditions will there be no change in the reading frame of following mRNA?  
5' AACAGCGGUGCUAUU 3'

- (1) Insertion of A and G at 4<sup>th</sup> and 5<sup>th</sup> positions respectively
- (2) Deletion of GGU from 7<sup>th</sup>, 8<sup>th</sup> and 9<sup>th</sup> positions
- (3) Insertion of G at 5<sup>th</sup> position
- (4) Deletion of G from 5<sup>th</sup> position

<b>ANSWER</b>	<b>2</b>
---------------	----------

46. The **correct** sequence of phases of cell cycle is :

- (1) S → G<sub>1</sub> → G<sub>2</sub> → M
- (2) G<sub>1</sub> → S → G<sub>2</sub> → M
- (3) M → G<sub>1</sub> → G<sub>2</sub> → S
- (4) G<sub>1</sub> → G<sub>2</sub> → S → M

<b>ANSWER</b>	<b>2</b>
---------------	----------

47. How does steroid hormone influence the cellular activities ?
- (1) Activating cyclic AMP located on the cell membrane.
  - (2) Using aquaporin channels as second messenger.
  - (3) Changing the permeability of the cell membrane.
  - (4) Binding to DNA and forming a gene-hormone complex.

<b>ANSWER</b>	<b>4</b>
---------------	----------

48. Conversion of glucose to glucose-6-phosphate, the first irreversible reaction of glycolysis, is catalyzed by:

- (1) Enolase
- (2) Phosphofructokinase
- (3) Aldolase
- (4) Hexokinase

<b>ANSWER</b>	<b>4</b>
---------------	----------

49. What is the direction of movement of sugars in phloem ?

- (1) Downward
- (2) Bi-directional
- (3) Non-multidirectional
- (4) Upward

<b>ANSWER</b>	<b>2</b>
---------------	----------

50. Which of the following features of genetic code does allow bacteria to produce human insulin by recombinant DNA technology ?

- (1) Genetic code is nearly universal  
 (2) Genetic code is specific  
 (3) Genetic code is not ambiguous  
 (4) Genetic code is redundant

ANSWER	1
--------	---

51. Which of the following factors is responsible for the formation of concentrated urine ?  
 (1) Secretion of erythropoietin by Juxtaglomerular complex.  
 (2) Hydrostatic pressure during glomerular filtration.  
 (3) Low levels of antidiuretic hormone.  
 (4) Maintaining hyperosmolarity towards inner medullary interstitium in the kidneys

ANSWER	4
--------	---

52. Which one of the following equipments is essentially required for growing microbes on a large scale, for industrial production of enzymes ?  
 (1) Industrial oven  
 (2) Bioreactor  
 (3) BOD incubator  
 (4) Sludge digester

ANSWER	2
--------	---

53. Select the **correct** option.  
 (1) Each rib is a flat thin bone and all the ribs are connected dorsally to the thoracic vertebrae and ventrally to the sternum.  
 (2) There are seven pairs of vertebrosteral, three pairs of vertebrochondral and two pairs of vertebral ribs.  
 (3) 8<sup>th</sup>, 9<sup>th</sup> and 10<sup>th</sup> pairs of ribs articulate directly with the sternum.  
 (4) 11<sup>th</sup> and 12<sup>th</sup> pairs of ribs are connected to the sternum with the help of hyaline cartilage.

ANSWER	2
--------	---

54. Persistent nucellus in the seed is known as :  
 (1) Hilum (2) Tegmen  
 (3) Chalaza (4) Perisperm

ANSWER	4
--------	---

55. Select the hormone-releasing Intra-Uterine Devices.  
 (1) Progestasert, LNG-20  
 (2) Lippes Loop, Multiload 375  
 (3) Vaults, LNG-20  
 (4) Multiload 375, Progestasert

ANSWER	1
--------	---

56. Which of the following immune responses is responsible for rejection of kidney graft?  
 (1) Inflammatory immune response  
 (2) Cell-mediated immune response  
 (3) Auto-immune response  
 (4) Humoral immune response

ANSWER	2
--------	---

57. Which of these following methods is the most suitable for disposal of nuclear waste ?  
 (1) Dump the waste within rocks under deep ocean  
 (2) Bury the waste within rocks deep below the Earth's surface  
 (3) Shoot the waste into space  
 (4) Bury the waste under Antarctic ice-cover

ANSWER	2
--------	---

58. Select the **incorrect** statement.  
 (1) Inbreeding selects harmful recessive genes that reduce fertility and productivity.  
 (2) Inbreeding helps in accumulation of superior genes and elimination of undesirable genes.  
 (3) Inbreeding increases homozygosity.  
 (4) Inbreeding is essential to evolve purelines in any animal.

ANSWER	1
--------	---

59. Consider following features:  
 (a) Organ system level of organisation  
 (b) Bilateral symmetry  
 (c) True coelomates with segmentation of body  
 Select the **correct** option of animal groups which possess all the above characteristics.

- (1) Arthropoda, Mollusca and Chordata  
 (2) Annelida, Mollusca and Chordata  
 (3) Annelida, Arthropoda and Chordata  
 (4) Annelida, Arthropoda and Mollusca

<b>ANSWER</b>	<b>3</b>
---------------	----------

60. Colostrum, the yellowish fluid, secreted by mother during the initial days of lactation is very essential to impart immunity to the newborn infants because it contains:

- (1) Macrophages  
 (2) Immunoglobulin A  
 (3) Natural killer cells  
 (4) Monocytes

<b>ANSWER</b>	<b>2</b>
---------------	----------

61. Match the following organisms with the products they produce:

- (a) *Lactobacillus* (i) Cheese  
 (b) *Saccharomyces, cerevisiae* (ii) Curd  
 (c) *Aspergillus niger* (iii) Citric acid  
 (d) *Acetobacter aceti* (iv) Bread  
 (v) Acetic Acid

Select the **correct** option.

- (a) (b) (c) (d)  
 (1) (iii) (iv) (v) (i)  
 (2) (ii) (i) (iii) (v)  
 (3) (ii) (iv) (v) (iii)  
 (4) (ii) (iv) (iii) (v)

<b>ANSWER</b>	<b>4</b>
---------------	----------

62. What triggers activation of protoxin to active Bt toxin of *Bacillus thuringiensis* in boll worm ?

- (1) Alkaline pH of gut  
 (2) Acidic pH of stomach  
 (3) Body temperature  
 (4) Moist surface of midgut

<b>ANSWER</b>	<b>1</b>
---------------	----------

63. Match the following hormones with the respective disease:

- (a) Insulin (i) Addison's disease  
 (b) Thyroxin (ii) Diabetes insipidus  
 (c) Corticoids (iii) Acromegaly  
 (d) Growth Hormone (iv) Goitre  
 (v) Diabetes mellitus

Select the **correct** option.

- (a) (b) (c) (d)  
 (1) (v) (iv) (i) (iii)  
 (2) (ii) (iv) (i) (iii)  
 (3) (v) (i) (ii) (iii)  
 (4) (ii) (iv) (iii) (i)

<b>ANSWER</b>	<b>1</b>
---------------	----------

64. The ciliated epithelial cells are required to move "particles or mucus in a specific direction. In humans, these cells are mainly present in:

- (1) Eustachian tube and Salivary duct  
 (2) Bronchioles and Fallopian tubes\*  
 (3) Bile duct and Bronchioles  
 (4) Fallopian tubes and Pancreatic duct

<b>ANSWER</b>	<b>2</b>
---------------	----------

65. Match the hominids with their **correct** brain size :

- (a) *Homo habilis* (i) 900 cc  
 (b) *Homo neanderthalensis* (ii) 1350 cc  
 (c) *Homo erectus* (iii) 650-800 cc  
 (d) *Homo sapiens* (iv) 1400 cc

Select the **correct** option.

- (a) (b) (c) (d)  
 (1) (iii) (iv) (i) (ii)  
 (2) (iv) (iii) (i) (ii)  
 (3) (iii) (i) (iv) (ii)  
 (4) (iii) (ii) (i) (iv)

<b>ANSWER</b>	<b>1</b>
---------------	----------

66. Phloem in gymnosperms lacks :

- (1) Companion cells only  
 (2) Both sieve tubes and companion cells  
 (3) Albuminous cells and sieve cells  
 (4) Sieve tubes only

<b>ANSWER</b>	<b>2</b>
---------------	----------

67. Which of the following contraceptive methods do involve a role of hormone ?

- (1) CuT, Pills, Emergency contraceptives  
 (2) Pills, Emergency contraceptives, Barrier methods  
 (3) Lactational amenorrhea, Pills, Emergency contraceptives  
 (4) Barrier method, Lactational amenorrhea, Pills

<b>ANSWER</b>	<b>3</b>
---------------	----------

68. Identify the **correct** pair representing the causative agent of typhoid fever and the confirmatory test for typhoid.

- (1) *Salmonella typhi* / Anthrone test
- (2) *Salmonella typhi* / Widal test
- (3) *Plasmodium vivax* / IUTI test
- (4) *Streptococcus pneumoniae* / Widal test

ANSWER	2
--------	---

69. Which of the following pairs of gases is mainly responsible for green house effect?

- (1) Nitrogen and Sulphur dioxide
- (2) Carbon dioxide and Methane
- (3) Ozone and Ammonia
- (4) Oxygen and Nitrogen

ANSWER	2
--------	---

70. In *Antirrhinum* (Snapdragon), a red flower was crossed with a white flower and in F<sub>1</sub> generation, pink flowers were obtained. When pink flowers were selfed, the F<sub>2</sub> generation showed white, red and pink flowers. Choose the incorrect statement from the following:

- (1) Ratio of F<sub>2</sub> is 1/4 (Red): 2/4 (Pink);, 1/4 (White)
- (2) Law of Segregation does not apply in this experiment.
- (3) This experiment does not follow the Principle of Dominance.
- (4) Pink colour in F<sub>1</sub> is due to incomplete dominance.

ANSWER	2
--------	---

71. Which of the following is true for Golden rice ?

- (1) It is drought tolerant, developed using *Agrobacterium* vector.
- (2) It has yellow grains, because of a gene introduced from a primitive variety of rice.
- (3) It is Vitamin A enriched, with a gene from daffodil.
- (4) It is pest resistant, with a gene from *Bacillus thuringiensis*.

ANSWER	3
--------	---

72. Which of the following glucose transporters is insulin-dependent ?

- (1) GLUT1
- (2) GLUT 4
- (3) GLUT 1
- (4) GLUT 2

ANSWER	2
--------	---

73. Identify the cells whose secretion protects the lining of gastro-intestinal tract from various enzymes.

- (1) Oxyntic Cells
- (2) Duodenal Cells
- (3) Chief Cells
- (4) Goblet Cells

ANSWER	4
--------	---

74. Which of the following statements is **not** correct ?

- (1) Lysosomes are membrane bound structures.
- (2) Lysosomes are formed by the process of packaging in the endoplasmic reticulum.
- (3) Lysosomes have numerous hydrolytic enzymes.
- (4) The hydrolytic enzymes of lysosomes are active under acidic pH.

ANSWER	2
--------	---

75. The shorter and longer arms of a submetacentric chromosome are referred to as :

- (1) q-arm and p-arm respectively
- (2) m-arm and n-arm respectively
- (3) s-arm and l-arm respectively
- (4) p-arm and q-arm respectively

ANSWER	4
--------	---

76. From evolutionary point of view, retention of the female gametophyte with developing young embryo on the parent sporophyte for some time, is first observed in:

- (1) Pteridophytes
- (2) Gymnosperms
- (3) Liverworts
- (4) Mosses

ANSWER	1
--------	---

77. Grass leaves curl inwards during very dry weather. Select the most appropriate reason from the following:
- (1) Shrinkage of air spaces in spongy mesophyll
  - (2) Tyloses in vessels
  - (3) Closure of stomata
  - (4) Flaccidity of bulliform cells

<b>ANSWER</b>	<b>4</b>
---------------	----------

78. What would be the heart rate of a person if the cardiac output is 5 L, blood volume in the ventricles at the end of diastole is 100 mL and at the end of ventricular systole is 50 mL ?
- (1) 100 beats per minute
  - (2) 125 beats per minute
  - (3) 50 beats per minute
  - (4) 75 beats per minute

<b>ANSWER</b>	<b>1</b>
---------------	----------

79. Select the incorrect statement.
- (1) In domesticated fowls, sex of progeny depends on the type of sperm rather than egg.
  - (2) Human males have one of their sex-chromosome much shorter than the other.
  - (3) Male fruit fly is heterogametic.
  - (4) In male grasshoppers, 50% of sperms have no sex-chromosome.

<b>ANSWER</b>	<b>1</b>
---------------	----------

80. Use of an artificial kidney during hemodialysis may result in:
- (a) Nitrogenous waste build-up in the body
  - (b) Non-elimination of excess potassium ions
  - (c) Reduced absorption of calcium ions from gastro-intestinal tract
  - (d) Reduced RBC production
- Which of the following options is the most **appropriate** ?
- (1) (c) and (d) are correct
  - (2) (a) and (d) are correct
  - (3) (a) and (b) are correct
  - (4) (b) and (c) are correct

<b>ANSWER</b>	<b>1</b>
---------------	----------

81. Select the **correct** group of biocontrol agents.
- (1) *Oscillatoria*, *Rhizobium*, *Trichoderma*
  - (2) *Nostoc*, *Azospirillum*, *f* *Nucleopolyhedrovirus*
  - (3) *Bacillus thuringiensis*, Tobacco mosaic virus, Aphids
  - (4) *Trichoderma*, *Baculovirus*, *Bacillus thuringiensis*

<b>ANSWER</b>	<b>4</b>
---------------	----------

82. Extrusion of second polar body from egg nucleus occurs :
- (1) before entry of sperm into ovum
  - (2) simultaneously with first cleavage
  - (3) after entry of sperm but before fertilization
  - (4) after fertilization

<b>ANSWER</b>	<b>3</b>
---------------	----------

83. Match the following structures with their respective location in organs:
- |                          |                       |
|--------------------------|-----------------------|
| (a) Crypts of Lieberkuhn | (i) Pancreas          |
| (b) Glisson's Capsule    | (ii) Duodenum         |
| (c) Islets of Langerhans | (iii) Small intestine |
| (d) Brunner's Glands     | (iv) Liver            |

Select the **correct** option from the following:

- |           |      |      |       |
|-----------|------|------|-------|
| (a)       | (b)  | (c)  | (d)   |
| (1) (iii) | (iv) | (i)  | (ii)  |
| (2) (iii) | (ii) | (i)  | (iv)  |
| (3) (iii) | (i)  | (ii) | (iv)  |
| (4) (ii)  | (iv) | (i)  | (lii) |

<b>ANSWER</b>	<b>1</b>
---------------	----------

84. Which part of the brain is responsible for thermoregulation ?
- (1) Corpus callosum
  - (2) Medulla oblongata
  - (3) Cerebrum
  - (4) Hypothalamus

<b>ANSWER</b>	<b>4</b>
---------------	----------

85. Which of the following can be used as a biocontrol agent in the treatment of plant disease ?

- (1) *Anabaena*
- (2) *Lactobacillus*
- (3) *Trichoderma*
- (4) *Chlorella*

ANSWER	3
--------	---

86. What map unit (Centimorgan) is adopted in the construction of genetic maps ?

- (1) A unit of distance between genes on chromosomes, representing 1% cross over.
- (2) A unit of distance between genes on chromosomes, representing 50% cross over.
- (3) A unit of distance between two expressed genes, representing 10% cross over.
- (4) A unit of distance between two expressed genes, representing 100% cross over.

ANSWER	1
--------	---

87. Match the following organisms with their respective characteristics:

- |                            |                                |
|----------------------------|--------------------------------|
| (a) <i>Pila</i>            | (i) <i>Flame cells</i>         |
| (b) <i>Bombyx</i>          | (ii) <i>Comb plates</i>        |
| (c) <i>Pleurobrachia</i> , | (iii) <i>Radula</i>            |
| (d) <i>Taenia</i>          | (iv) <i>Malpighian tubules</i> |

Select the **correct** option from the following:

- |     |       |      |       |      |
|-----|-------|------|-------|------|
|     | (a)   | (b)  | (c)   | (d)  |
| (i) | (ii)  | (iv) | (iii) | (i)  |
| (2) | (iii) | (ii) | (iv)  | (i)  |
| (3) | (iii) | (ii) | (i)   | (iv) |
| (4) | (hi)  | (iv) | (ii)  | (i)  |

ANSWER	4
--------	---

88. Which of the following statements regarding mitochondria is **incorrect** ?

- (1) Inner membrane is convoluted with infoldings.
- (2) Mitochondrial matrix contains single circular DNA molecule and ribosomes.
- (3) Outer membrane is permeable to monomers of carbohydrates, fats and proteins.

(4) Enzymes of electron transport are embedded in outer membrane.

ANSWER	4
--------	---

89. What is the site of perception of photoperiod necessary for induction of flowering in plants ?

- (1) Shoot apex
- (2) Leaves
- (3) Lateral buds
- (4) Pulvinus

ANSWER	2
--------	---

90. Which one of the following is **not** a method of *in situ* conservation of biodiversity ?

- (1) Botanical Garden
- (2) Sacred Grove
- (3) Biosphere Reserve
- (4) Wildlife Sanctuary

ANSWER	1
--------	---

91. The method used to remove temporary hardness of water is:

- (1) Ion-exchange method
- (2) Synthetic resins method
- (3) Calgoh's method
- (4) Clark's method

ANSWER	4
--------	---

92. Which one is malachite from the following?

- (1)  $\text{Fe}_3\text{O}_4$
- (2)  $\text{CuCO}_3 \cdot \text{Cu}(\text{OH})_2$
- (3)  $\text{CuFeS}_2$
- (4)  $\text{Cu}(\text{OH})_2$






ANSWER	2
--------	---

93. Which of the following is incorrect statement?

- (1)  $\text{GeX}_4$  (X = F, Cl, Br, I) is more stable than  $\text{GeX}_2$
- (2)  $\text{SnF}_4$  is ionic in nature
- (3)  $\text{PbF}_4$  is covalent in nature
- (4)  $\text{SiCl}_4$  is easily hydrolysed


ANSWER	3
--------	---

94. The structure of intermediate A in the following reaction is



**ANSWER**      **4**

95. The most suitable reagent for the following conversion, is :



- (1) Zn / HCl  
 (2)  $\text{Hg}^{2+} / \text{H}^+$ ,  $\text{H}_2\text{O}$   
 (3) Na / liquid  $\text{NH}_3$   
 (4)  $\text{H}_2$ , Pd / C, quinoline

**ANSWER**      **4**

96. What is the **correct** electronic configuration of the central atom in  $\text{K}_4[\text{Fe}(\text{CN})_6]$  based on crystal field theory ?
- (1)  $e^3 t_2^3$   
 (2)  $e^4 t_2^2$   
 (3)  $t_{2g}^4 e_g^2$   
 (4)  $t_{2g}^6 e_g^0$

**ANSWER**      **4**

97. If the rate constant for a first order reaction is k, the time (t) required for the completion of 99% of the reaction is given by :
- (1)  $t = 4.606/k$   
 (2)  $t = 2.303/k$   
 (3)  $t = 0.693/k$   
 (4)  $t = 6.909/k$

**ANSWER**      **1**

98. Which of the following series of transitions in the spectrum of hydrogen atom falls in visible region?
- (1) Paschen series  
 (2) Brackett series  
 (3) Lyman series  
 (4) Balmer series

**ANSWER**      **4**

99. In which case change in entropy is negative?
- (1) sublimation of solid to gas  
 (2)  $2\text{H}(\text{g}) \rightarrow \text{H}_2(\text{g})$   
 (3) Evaporation of water  
 (4) Expansion of a gas at constant temperature

**ANSWER**      **2**

100. The correct order of the basic strength of methyl substituted amines in aqueous solution is :

- (1)  $(\text{CH}_3)_3\text{N} > (\text{CH}_3)_2\text{NH} > \text{CH}_3\text{NH}_2$   
 (2)  $\text{CH}_3\text{NH}_2 > (\text{CH}_3)_2\text{NH} > (\text{CH}_3)_3\text{N}$   
 (3)  $(\text{CH}_3)_2\text{NH} > \text{CH}_3\text{NH}_2 > (\text{CH}_3)_3\text{N}$   
 (4)  $(\text{CH}_3)_3\text{N} > \text{CH}_3\text{NH}_2 > (\text{CH}_3)_2\text{NH}$

**ANSWER**      **3**

101. Which will make basic buffer?  
 (1) 100 mL of 0.1 M HCl + 200 mL of 0.1 M  $\text{NH}_4\text{OH}$   
 (2) 100 mL of 0.1 M HCl + 100 mL of 0.1 M NaOH  
 (3) 50 mL of 0.1 M NaOH + 25 mL of 0.1 M  $\text{CH}_3\text{COOH}$   
 (4) 100 mL of 0.1 M  $\text{CH}_3\text{COOH}$  + 100 mL of 0.1 M NaOH

<b>ANSWER</b>	<b>1</b>
---------------	----------

102. The biodegradable polymer is :  
 (1) nylon-6  
 (2) Buna-S  
 (3) nylon-6, 6  
 (4) nulon 2-nulon 6

<b>ANSWER</b>	<b>4</b>
---------------	----------

103. A gas at 350 K and 15 bar has molar volume 20 percent smaller than that for an ideal gas under the same conditions. The **correct** option about the gas and its compressibility factor ( $Z$ ) is :

- (1)  $Z < 1$  and attractive forces are dominant  
 (2)  $Z < 1$  and repulsive forces are dominant  
 (3)  $Z > 1$  and attractive forces are dominant  
 (4)  $Z > 1$  and repulsive forces are dominant

<b>ANSWER</b>	<b>1</b>
---------------	----------






104. Which of the following is an amphoteric hydroxide?  
 (1)  $\text{Mg}(\text{OH})_2$   
 (2)  $\text{Be}(\text{OH})_2$   
 (3)  $\text{Sr}(\text{OH})_2$   
 (4)  $\text{Ca}(\text{OH})_2$

<b>ANSWER</b>	<b>2</b>
---------------	----------

105. For the second period elements the correct increasing order of first ionization enthalpy is :  
 (1)  $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{N} < \text{O} < \text{F} < \text{Ne}$   
 (2)  $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{O} < \text{N} < \text{F} < \text{Ne}$   
 (3)  $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{N} < \text{O} < \text{F} < \text{Ne}$   
 (4)  $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{O} < \text{N} < \text{F} < \text{Ne}$

<b>ANSWER</b>	<b>4</b>
---------------	----------

106. The major product of the following reaction is :



<b>ANSWER</b>	<b>4</b>
---------------	----------

107. The number of sigma ( $\sigma$ ) and pi ( $\pi$ ) bonds in pent-2-en-4-yne is:

- (1) 11  $\sigma$  bonds and 2  $\pi$  bonds  
 (2) 13  $\sigma$  bonds and no  $\pi$  bond  
 (3) 10  $\sigma$  bonds and 3  $\pi$  bonds  
 (4) 8  $\sigma$  bonds and 5  $\pi$  bonds

<b>ANSWER</b>	<b>3</b>
---------------	----------

108. Which mixture of the solutions will lead to the formation of negatively charged colloidal  $[\text{AgI}]\text{I}^-$  sol. ?

- (1) 50 mL of 2 M  $\text{AgNO}_3$  + 50 mL of 1.5 M KI  
 (2) 50 mL of 0.1 M  $\text{AgNO}_3$  + 50 mL of 0.1 M KI  
 (3) 50 mL of 1 M  $\text{AgNO}_3$  + 50 mL of 1.5 M KI  
 (4) 50 mL of 1 M  $\text{AgNO}_3$  + 50 mL of 2 M KI


<b>ANSWER</b>	<b>4</b>
---------------	----------

109. The mixture that forms maximum boiling azeotrope is :

- (1) Acetone + Carbon disulphide
- (2) Heptane + Octane
- (3) Water + Nitric acid
- (4) Ethanol + Water

<b>ANSWER</b>	<b>3</b>
---------------	----------

110. For the chemical reaction



the correct option is :

- (1)  $-\frac{d[\text{N}_2]}{dt} = \frac{1}{2} \frac{d[\text{NH}_3]}{dt}$
- (2)  $3 \frac{d[\text{H}_2]}{dt} = 2 \frac{d[\text{NH}_3]}{dt}$
- (3)  $-\frac{1}{3} \frac{d[\text{H}_2]}{dt} = -\frac{1}{2} \frac{d[\text{NH}_3]}{dt}$
- (4)  $-\frac{d[\text{N}_2]}{dt} = 2 \frac{d[\text{NH}_3]}{dt}$

<b>ANSWER</b>	<b>1</b>
---------------	----------

111. 4d, 5p, 5f and 6p orbitals are arranged in the order of decreasing energy. The correct option is:

- (1) 6p > 5f > 4d > 5p
- (2) 5f > 6p > 4d > 5p
- (3) 5f > 6p > 5p > 4d
- (4) 6p > 5f > 5p > 4d

<b>ANSWER</b>	<b>3</b>
---------------	----------

112. Match the following :

- |                                      |                     |
|--------------------------------------|---------------------|
| (a) Pure nitrogen                    | (i) Chlorine        |
| (b) Haber process                    | (ii) Sulphuric acid |
| (c) Contact process                  | (iii) Ammonia       |
| (d) Deacon's process or Barium azide | (iv) sodium azide   |

Which of the following is the correct option?

- |     |       |       |       |       |
|-----|-------|-------|-------|-------|
|     | (a)   | (b)   | (c)   | (d)   |
| (1) | (iii) | (iv)  | (ii)  | (i)   |
| (2) | (iv)  | (iii) | (ii)  | (i)   |
| (3) | (i)   | (ii)  | (iii) | (iv)  |
| (4) | (ii)  | (iv)  | (i)   | (iii) |





<b>ANSWER</b>	<b>2</b>
---------------	----------

113. Conjugate base for Bronsted acids H<sub>2</sub>O and HF are :

- (1) OH<sup>-</sup> and F<sup>-</sup>, respectively
- (2) H<sub>3</sub>O<sup>+</sup> and H<sub>2</sub>F<sup>+</sup>, respectively
- (3) OH<sup>-</sup> and H<sub>2</sub>F<sup>+</sup>, respectively
- (4) H<sub>3</sub>O<sup>+</sup> and F<sup>-</sup>, respectively


<b>ANSWER</b>	<b>1</b>
---------------	----------

114. The compound that is not difficult to protonate is:

- (1) 
- (2) 
- (3) 
- (4) 

<b>ANSWER</b>	<b>2</b>
---------------	----------

115. For the cell reaction



$E_{\text{cell}}^{\ominus} = 0.24 \text{ V}$  at 298 K. The standard Gibbs energy ( $\Delta_r G^{\ominus}$ ) of the cell reaction is

[Given that Faraday constant  $F = 96500 \text{ C mol}^{-1}$ ]

- (1) 46.32 kJ mol<sup>-1</sup>
- (2) 23.16 kJ mol<sup>-1</sup>
- (3) - 46.32 kJ mol<sup>-1</sup>
- (4) - 23.16 kJ mol<sup>-1</sup>

<b>ANSWER</b>	<b>3</b>
---------------	----------

116. For an ideal solution, the correct option is

- (1)  $\Delta_{\text{mix}} H = 0$  at constant T and P
- (2)  $\Delta_{\text{mix}} G = 0$  at constant T and P
- (3)  $\Delta_{\text{mix}} S = 0$  at constant T and P
- (4)  $\Delta_{\text{mix}} V \neq 0$  at constant T and P

<b>ANSWER</b>	<b>1</b>
---------------	----------

117. The number of moles of hydrogen molecules required to produce 20 moles of ammonia through Haber's process is

- (1) 30 (2) 40  
(3) 10 (4) 20

**ANSWER**      **1**

118. Which of the following diatomic molecule species has only  $\pi$  bonds according to Molecular Orbital Theory?

- (1)  $C_2$  (2)  $Be_2$   
(3)  $O_2$  (d)  $N_2$

**ANSWER**      **1**

119. Under isothermal condition, a gas at 300 K expands from 0.1 L to 0.25 L against a constant external pressure of 2 bar. The work done by the gas is [Given that 1 L bar = 100 J]

- (1) 25 J (2) 30 J  
(3) -30 J (4) 5 kJ

**ANSWER**      **3**

120. Which is the correct thermal stability order for  $H_2E$  ( $E = O, S, Se, Te$  and  $Po$ )?

- (1)  $H_2Po < H_2Te < H_2Se < H_2S < H_2O$   
(2)  $H_2Se < H_2Te < H_2Po < H_2O < H_2S$   
(3)  $H_2S < H_2O < H_2Se < H_2Te < H_2Po$   
(4)  $H_2O < H_2S < H_2Se < H_2Te < H_2Po$

**ANSWER**      **1**

121. The non-essential amino acid among the following is

- (1) Alanine (2) Lysine  
(3) Valine (4) Leucine

**ANSWER**      **1**

122. The manganate and permanganate ions are tetrahedral, due to

- (1) The  $\pi$ -bonding involves overlap of p-orbitals of oxygen with p-orbitals of manganese  
(2) The  $\pi$ -bonding involves overlap of d-orbitals of oxygen with d-orbitals of manganese  
(3) The  $\pi$ -bonding involves overlap of p-orbitals of oxygen with d-orbitals of manganese  
(4) There is no  $\pi$ -bonding

**ANSWER**      **3**

123. Among the following, the one that is not a green house gas is

- (1) Ozone  
(2) Sulphur dioxide  
(3) Nitrous oxide  
(4) Methane





**ANSWER**      **2**

124. pH of a saturated solution of  $Ca(OH)_2$  is 9. The solubility product ( $K_{sp}$ ) of  $Ca(OH)_2$  is

- (1)  $0.125 \times 10^{-15}$   
(2)  $0.5 \times 10^{-10}$   
(3)  $0.5 \times 10^{-15}$   
(4)  $0.25 \times 10^{-10}$

**ANSWER**      **3**

125. The correct structure of tribromooctaoxide is



**ANSWER**      **3**

126. Enzymes that utilize ATP in phosphate transfer require an alkaline earth metal (M) as the cofactor. M is

- (1) Ca  
(2) Sr  
(3) Be  
(4) Mg

**ANSWER**      **4**


127. For a cell involving on electron  $E_{cell}^{\ominus} = 0.59$  V at 298 K, the equilibrium constant for the cell reaction is

[Given that  $\frac{2.303 RT}{F} = 0.059$  V at T = 298 K]

- (1)  $1.0 \times 10^{10}$  (2)  $1.0 \times 10^{30}$   
 (3)  $1.0 \times 10^2$  (4)  $1.0 \times 10^5$

**ANSWER** 1

128. Among the following, the reaction that proceeds through an electrophilic substitution, is



**ANSWER** 4

129. Identify the incorrect statement related to  $\text{PCl}_5$  from the following

- (1) Axial P – Cl bonds are longer than equatorial P – Cl bonds  
 (2)  $\text{PCl}_5$  molecule is non-reactive  
 (3) Three equatorial P – Cl bonds make an angle of  $120^\circ$  with each other  
 (4) Two axial P – Cl bonds make an angle of  $180^\circ$  with each other

**ANSWER** 2

130. Which of the following reactions are disproportionation reaction?





- (a)  $2\text{Cu}^+ \rightarrow \text{Cu}^{2+} + \text{Cu}^0$   
 (b)  $3\text{MnO}_4^{2-} + 4\text{H}^+ \rightarrow 2\text{MnO}_4^- + \text{MnO}_2 + 2\text{H}_2\text{O}$   
 (c)  $2\text{KMnO}_4 \xrightarrow{\Delta} \text{K}_2\text{MnO}_4 + \text{MnO}_2 + \text{O}_2$   
 (d)  $2\text{MnO}_4^- + 3\text{Mn}^{2+} + 2\text{H}_2\text{O} \rightarrow 5\text{MnO}_2 + 4\text{H}^+$

Select the correct option from the following

- (1) (a), (c) and (d)  
 (2) (a) and (d) only  
 (3) (a) and (b) only  
 (4) (a), (b) and (c)

**ANSWER** 3

131. An alkene “A” on reaction with  $\text{O}_3$  and  $\text{Zn} - \text{H}_2\text{O}$  gives propanone and ethanal in equimolar ratio. Addition of  $\text{HCl}$  to alkene “A” gives “B” as the major product. The structure of product “B” is



**ANSWER** 1

132. Match the Xenon compounds in Column-I with its structure in Column-II and assign the correct code

Column-I		Column-II	
(1)	$\text{XeF}_4$	(i)	Pyramidal
(2)	$\text{XeF}_6$	(ii)	Square planar
(3)	$\text{XeOF}_4$	(iii)	Distorted octahedral
(4)	$\text{XeO}_3$	(iv)	Square pyramidal

Code

	(1)	(2)	(3)	(4)
(1)	(ii)	(iii)	(i)	(iv)
(2)	(iii)	(iv)	(i)	(ii)
(3)	(i)	(ii)	(iii)	(iv)
(4)	(ii)	(iii)	(iv)	(i)

<b>ANSWER</b>	<b>4</b>
---------------	----------

133. Which of the following species is not stable?

- (1)  $[\text{Sn}(\text{OH})_6]^{2-}$                       (2)  $[\text{SiCl}_6]^{2-}$   
 (3)  $[\text{SiF}_6]^{2-}$                               (4)  $[\text{GeCl}_6]^{2-}$

<b>ANSWER</b>	<b>2</b>
---------------	----------

134. A compound is formed by cation C and anion A. The anions form hexagonal close packet (hcp) lattice and the cations occupy 75% of octahedral voids. The formula of the compound is

- (1)  $\text{C}_3\text{A}_4$                                   (2)  $\text{C}_4\text{A}_3$   
 (3)  $\text{C}_2\text{A}_3$                                   (4)  $\text{C}_3\text{A}_2$


<b>ANSWER</b>	<b>1</b>
---------------	----------

135. Among the following, the narrow spectrum antibiotic is

- (1) Amoxicillin  
 (2) Chloramphenicol  
 (3) Penicillin G  
 (4) Ampicillin

<b>ANSWER</b>	<b>3</b>
---------------	----------

136. In the circuits shown below, the readings of the voltmeters and the ammeters will be



- (1)  $V_1 = V_2$  and  $i_1 = i_2$   
 (2)  $V_2 > V_1$  and  $i_1 > i_2$   
 (3)  $V_2 > V_1$  and  $i_1 = i_2$   
 (4)  $V_1 = V_2$  and  $i_1 > i_2$


<b>ANSWER</b>	<b>1</b>
---------------	----------

137. Two similar thin equi-convex lenses, of focal length  $f$  each, are kept coaxially in contact with each other such that the focal length of the combination is  $F_1$ . When the space between the two lenses is filled with glycerin (which has the same refractive index ( $\mu = 1.5$ ) as that of glass) then the equivalent focal length is  $F_2$ . The ratio  $F_1 : F_2$  will be

- (1) 2 : 3  
 (2) 3 : 4  
 (3) 2 : 1  
 (4) 1 : 2

<b>ANSWER</b>	<b>4</b>
---------------	----------

138. A particle moving with velocity  $\vec{V}$  is acted by three shown by the vector triangle PQR. The velocity of the particle will



- (1) Remain constant  
 (2) Change according to the smallest force  $\vec{QR}$   
 (3) Increase  
 (4) Decrease


<b>ANSWER</b>	<b>1</b>
---------------	----------

139. In which of the following devices, the eddy current effect is not used?

- (1) Electromagnet  
 (2) Electric heater  
 (3) Induction furnace  
 (4) Magnetic braking in train

<b>ANSWER</b>	<b>2</b>
---------------	----------

140. A cylindrical conductor of radius  $R$  is carrying a constant current. The plot of the magnitude of the magnetic field,  $B$  with the distance,  $d$ , from the centre of the conductor, is correctly represented by the figure



<b>ANSWER</b>	<b>1</b>
---------------	----------

141. A hollow metal sphere of radius  $R$  is uniformly charged. The electric field due to the sphere at a distance  $r$  from the centre

- (1) Zero as  $r$  increases for  $r < R$ , increases as  $r$  increases for  $r > R$   
 (2) Decreases as  $r$  increases for  $r < R$  and for  $r > R$   
 (3) Increases as  $r$  increases for  $r < R$  and for  $r > R$   
 (4) Zero as  $r$  increases for  $r < R$ , decreases as  $r$  increases for  $r > R$

<b>ANSWER</b>	<b>4</b>
---------------	----------

142. The speed of a swimmer in still water is  $20$  m/s. The speed of river water is  $10$  m/s and is flowing due east. If he is standing on the south bank and wishes to cross the river along the shortest path, the angle at which he should make his strokes w.r.t north is given by

- (1)  $60^\circ$  west  
 (2)  $45^\circ$  west  
 (3)  $30^\circ$  west  
 (4)  $0^\circ$

<b>ANSWER</b>	<b>3</b>
---------------	----------

143. Which colour of the light has the longest wavelength?

- (1) Green (2) Violet  
 (3) Red (4) Blue

<b>ANSWER</b>	<b>3</b>
---------------	----------

144. A disc of radius  $2$  m and mass  $100$  kg rolls on a horizontal floor. Its centre of mass has speed of  $20$  cm/s. How much work is needed to stop it?

- (1)  $2$  J (2)  $1$  J  
 (3)  $3$  J (4)  $30$  kJ

<b>ANSWER</b>	<b>3</b>
---------------	----------

145. Average velocity of a particle executing SHM in one complete vibration is

- (1)  $\frac{A\omega^2}{2}$  (2) Zero  
 (3)  $\frac{A\omega}{2}$  (4)  $A\omega$

<b>ANSWER</b>	<b>2</b>
---------------	----------

146. A body weighs  $200$  N on the surface of the earth. How much will it weigh half way down to the centre of the earth?

- (1)  $250$  N (2)  $100$  N  
 (3)  $150$  N (4)  $200$  N

<b>ANSWER</b>	<b>2</b>
---------------	----------

147. A solid cylinder of mass  $2$  kg and radius  $4$  cm is rotating about its axis at the rate of  $3$  rpm. The torque required to stop after  $2\pi$  revolution is

- (1)  $12 \times 10^{-4}$  Nm  
 (2)  $2 \times 10^6$  Nm  
 (3)  $2 \times 10^{-6}$  Nm  
 (4)  $2 \times 10^{-3}$  Nm

<b>ANSWER</b>	<b>3</b>
---------------	----------

148. An electron is accelerated through a potential different of  $10,000$  V. Its de Broglie wavelength is, (nearly):

- ( $m_e = 9 \times 10^{-31}$  kg)  
 (1)  $12.2 \times 10^{-14}$  m (2)  $12.2$  nm  
 (3)  $12.2 \times 10^{-13}$  m (4)  $12.2 \times 10^{-12}$  m

<b>ANSWER</b>	<b>4</b>
---------------	----------

149.  $\alpha$ -particle consists of  
 (1) 2 electrons and 4 protons only  
 (2) 2 protons only  
 (3) 2 protons and 2 neutrons only  
 (4) 2 electrons, 2 protons and 2 neutrons

<b>ANSWER</b>	<b>3</b>
---------------	----------

150. The total energy of an electron in an atom in an orbit is  $-3.4$  eV. Its kinetic and potential energies are, respectively  
 (1) 3.4 eV,  $-6.8$  eV  
 (2) 3.4 eV, 3.4 eV  
 (3)  $-3.4$  eV,  $-3.4$  eV  
 (4)  $-3.4$  eV,  $-6.8$  eV

<b>ANSWER</b>	<b>1</b>
---------------	----------

151. Two particles A and B are moving in uniform circular motion in concentric circles of radii  $r_A$  and  $r_B$  with speed  $v_A$  and  $v_B$  respectively. Their time period of rotation is the same. The ratio of angular speed of A to that of B will be

- (1)  $r_B : r_A$                       (2) 1 : 1  
 (3)  $r_A : r_B$                       (4)  $v_A : v_B$

<b>ANSWER</b>	<b>2</b>
---------------	----------

152. In a double slit experiment, when light of wavelength 400 nm was used, the angular width of the first minima formed on a screen placed 1m away, was found to be  $0.2^\circ$ . What will be the angular width of the first minima, if the entire experimental apparatus is immersed in water? ( $\mu_{\text{water}} = 4/3$ )

- (1)  $0.05^\circ$                       (2)  $0.1^\circ$   
 (3)  $0.266^\circ$                       (4)  $0.15^\circ$

<b>ANSWER</b>	<b>4</b>
---------------	----------

153. A parallel plate capacitor of capacitance  $20 \mu\text{F}$  being charged by a voltage source whose potential is changing at the rate of  $3 \text{ V/s}$ . The conducting current through the connecting wires, and this displacement current through the plates of the capacitor, would be, respectively  
 (1)  $60 \mu\text{A}$ , zero                      (2) zero, zero  
 (3) zero,  $60 \mu\text{A}$                       (4)  $60 \mu\text{A}$ ,  $60 \mu\text{A}$

<b>ANSWER</b>	<b>4</b>
---------------	----------

154. In which of the following processes, heat is neither absorbed nor released by a system?

- (1) isobaric                      (2) isochoric  
 (3) isothermal                      (4) adiabatic

<b>ANSWER</b>	<b>4</b>
---------------	----------

155. Body A of mass  $4m$  moving with speed  $u$  collides with another body B of mass  $2m$ , at rest. The collision is head on and elastic in nature. After the collision the fraction of energy lost by the colliding body A is

- (1)  $\frac{4}{9}$                       (2)  $\frac{5}{9}$   
 (3)  $\frac{1}{9}$                       (4)  $\frac{8}{9}$

<b>ANSWER</b>	<b>4</b>
---------------	----------

156. A small hole of area of cross-section  $2 \text{ mm}^2$  is present near the bottom of a fully filled open tank of height  $2\text{m}$ . Taking  $g = 10 \text{ m/s}^2$ , the rate of flow of water through the open hole would be nearly

- (1)  $2.23 \times 10^{-6} \text{ m}^3/\text{s}$                       (2)  $6.4 \times 10^{-6} \text{ m}^3/\text{s}$   
 (3)  $12.6 \times 10^{-6} \text{ m}^3/\text{s}$                       (4)  $8.9 \times 10^{-6} \text{ m}^3/\text{s}$

<b>ANSWER</b>	<b>3</b>
---------------	----------

157. Increase in temperature of a gas filled in a container would lead to

- (1) decrease in its pressure  
 (2) decrease in intermolecular distance  
 (3) increase in its mass  
 (4) increase in its kinetic energy

<b>ANSWER</b>	<b>4</b>
---------------	----------

158. Two point charges A and B, having charges  $+Q$  and  $-Q$  respectively, are placed at certain distance apart and force acting between them is  $F$ . If 25% charge of A is transferred to B, then force between the charges becomes

- (1)  $\frac{16F}{9}$                       (2)  $\frac{4F}{3}$   
 (3)  $F$                       (4)  $\frac{9F}{16}$

<b>ANSWER</b>	<b>4</b>
---------------	----------

159. A 800 turn coil of effective area  $0.05 \text{ m}^2$  is kept perpendicular to a magnetic field  $5 \times 10^{-5} \text{ T}$ . When the plane of the coil is rotated by  $90^\circ$  around any of its coplanar axis in  $0.1 \text{ s}$ , the emf induced in the coil will be

(1)  $2 \times 10^{-3} \text{ V}$  (2)  $0.02 \text{ V}$   
 (3)  $2 \text{ V}$  (4)  $0.2 \text{ V}$

**ANSWER**      **2**

160. A soap bubble, having radius of  $1 \text{ mm}$ , is blown from a detergent solution having a surface tension of  $2.5 \times 10^{-2} \text{ N/m}$ . The pressure inside the bubble equals at a point  $Z_0$  below the free surface of water in a container. Taking  $g = 10 \text{ m/s}^2$ , density of water =  $103 \text{ kg/m}^3$ , the value of  $Z_0$  is

(1)  $1 \text{ cm}$  (2)  $0.5 \text{ cm}$   
 (3)  $100 \text{ cm}$  (4)  $10 \text{ cm}$

**ANSWER**      **1**

161. The unit of thermal conductivity is  
 (1)  $\text{W m K}^{-1}$  (2)  $\text{W m}^{-1} \text{K}^{-1}$   
 (3)  $\text{J m K}^{-1}$  (4)  $\text{J m}^{-1} \text{K}^{-1}$

**ANSWER**      **2**

162. At a point A on the earth's surface the angle of dip,  $\delta = +25^\circ$ . At a point B on the earth's surface the angle of dip,  $\delta = -25^\circ$ . We can interpret that

(1) A is located in the northern hemisphere and B is located in the southern hemisphere.  
 (2) A and B are both located in the southern hemisphere  
 (3) A and B are both located in the northern hemisphere  
 (4) A is located in the southern hemisphere and B is located in the northern hemisphere

**ANSWER**      **1**

163. A block of mass  $10 \text{ kg}$  is in contact against the inner wall of a hollow cylindrical drum of radius  $1 \text{ m}$ . The coefficient of friction between the block and the inner wall of the cylinder is  $0.1$ . The minimum angular velocity needed

for the cylinder to keep the block stationary when the cylinder to keep the block stationary when the cylinder is vertical and rotating about its axis, will be ( $g = 10 \text{ m/s}^2$ )

(1)  $10 \text{ rad/s}$   
 (2)  $10 \pi \text{ rad/s}$   
 (3)  $\sqrt{10} \text{ rad/s}$   
 (4)  $\frac{10}{2\pi} \text{ rad/s}$

**ANSWER**      **1**

164. When an object is shot from the bottom of a long smooth inclined plane kept at an angle  $60^\circ$  with horizontal, it can travel a distance  $x_1$  along the plane. But when the inclination is decreased to  $30^\circ$  and the same object is shot with the same velocity, it can travel  $x_2$  distance. Then  $x_1 : x_2$  will be

(1)  $1 : \sqrt{3}$  (2)  $1 : 2\sqrt{3}$   
 (3)  $1 : \sqrt{2}$  (4)  $\sqrt{2} : 1$


**ANSWER**      **1**

165. The work done to raise a mass  $m$  from the surface of the earth to a height  $h$ , which is equal to the radius of the earth, is

(1)  $\frac{1}{2} mgR$  (2)  $\frac{3}{2} mgR$   
 (3)  $mgR$  (4)  $2 mgR$

**ANSWER**      **1**

166. The radius of the circle, the period of revolution, initial position and sense of revolution are indicate in the figure



y-projection of the radius vector of rotating particle P is

- (1)  $y(t) = 3\cos\left(\frac{3\pi t}{2}\right)$ , where  $y$  in m  
 (2)  $y(t) = 3\cos\left(\frac{\pi t}{2}\right)$ , where  $y$  in m  
 (3)  $y(t) = -3\cos 2\pi t$ , where  $y$  in m  
 (4)  $y(t) = 4\sin\left(\frac{\pi t}{2}\right)$ , where  $y$  in m

<b>ANSWER</b>	<b>2</b>
---------------	----------

167. In total internal reflection when the angle of incidence is equal to the critical angle for the pair of media in contact, what will be the angle of refraction?  
 (1) equal to angle of incidence  
 (2)  $90^\circ$   
 (3)  $180^\circ$   
 (4)  $0^\circ$

<b>ANSWER</b>	<b>2</b>
---------------	----------

168. Pick the wrong answer in the context with rainbow.  
 (1) An observer can see a rainbow when his front is towards the sun  
 (2) Rainbow is a combined effect of dispersion  
 (3) When the light rays undergo two internal reflections in a water drop, a secondary rainbow is formed.  
 (4) The order of colours is reversed in the secondary rainbow

<b>ANSWER</b>	<b>1</b>
---------------	----------

169. The displacement of a particle executing simple harmonic motion is given by  $y = A_0 + A \sin \omega t + B \cos \omega t$ . Then the amplitude of its oscillation is given by

- (1)  $\sqrt{A_0^2 + (A+B)^2}$   
 (2)  $A + B$   
 (3)  $A_0 + \sqrt{A^2 + B^2}$   
 (4)  $\sqrt{A^2 + B^2}$

<b>ANSWER</b>	<b>4</b>
---------------	----------

170. A copper rod of 88 cm and an aluminium rod of unknown length have their increase in length independent of increase in temperature. The length of aluminium rod is ( $\alpha_{Cu} = 1.7 \times 10^{-5} \text{ K}^{-1}$  and  $\alpha_{Al} = 2.2 \times 10^{-5} \text{ K}^{-1}$ )

- (1) 88 cm (2) 68 cm  
 (3) 6.8 cm (4) 113.9 cm

<b>ANSWER</b>	<b>2</b>
---------------	----------

171. A mass  $m$  is attached to a thin wire and whirled in a vertical circle. The wire is most likely to break when  
 (1) the mass is at the lowest point  
 (2) inclined at an angle of  $60^\circ$  from vertical  
 (3) the mass is at the highest point  
 (4) the wire is horizontal


<b>ANSWER</b>	<b>1</b>
---------------	----------

172. When a block of mass  $M$  is suspended by a long wire of length  $L$ , the length of the wire becomes  $(L + l)$ . The elastic potential energy stored in the extended wire is

- (1)  $\frac{1}{2}Mgl$  (2)  $\frac{1}{2}MgL$   
 (3)  $Mgl$  (4)  $MgL$

<b>ANSWER</b>	<b>1</b>
---------------	----------

- 173.



The correct Boolean operation represented by the circuit diagram is

- (1) NAND  
 (2) NOR  
 (3) AND  
 (4) OR


<b>ANSWER</b>	<b>1</b>
---------------	----------

174. Two parallel infinite line charges with linear charge densities  $+\lambda$  C/m and  $-\lambda$  C/m are placed at a distance of  $2R$  in free space. What is the electric field mid-way between the two line charges?

- (1)  $\frac{\lambda}{\pi\epsilon_0 R} N/C$   
 (2)  $\frac{\lambda}{2\pi\epsilon_0 R} N/C$   
 (3) Zero  
 (4)  $\frac{2\lambda}{\pi\epsilon_0 R} N/C$

<b>ANSWER</b>	<b>1</b>
---------------	----------

175. Six similar bulbs are connected as shown in the figure with a DC source of emf  $E$ , and zero internal resistance. The ratio of power consumption by the bulbs when (i) all are glowing and (ii) in the situation when two from section A and one from section B are glowing, will be



- (1) 1 : 2  
 (2) 2 : 1  
 (3) 4 : 9  
 (4) 9 : 4

<b>ANSWER</b>	<b>4</b>
---------------	----------

176. In an experiment, the percentage of error occurred in the measurement of physical quantities, A, B, C and D are 1%, 2%, 3% and 4% respectively. Then the maximum percentage of error in the measurement X, where  $X = \frac{A^2 B^{1/2}}{C^{1/3} D^3}$ , will be

- (1) - 10%  
 (2) 10%  
 (3)  $\left(\frac{3}{13}\right)\%$   
 (4) 16%

<b>ANSWER</b>	<b>4</b>
---------------	----------

177. Which of the following acts as a circuit protection device?

- (1) Switch  
 (2) Fuse  
 (3) Conductor  
 (4) Inductor

<b>ANSWER</b>	<b>2</b>
---------------	----------

178. A force  $F = 20 + 10y$  acts on a particle in y-direction where F is in Newton and y in meter. Work done by this force to move the particle from  $y = 0$  to  $y = 1$  m is

- (1) 25 J  
 (2) 20 J  
 (3) 30 J  
 (4) 5 J

<b>ANSWER</b>	<b>1</b>
---------------	----------

179. Ionized hydrogen atoms and  $\alpha$ -particles with same momenta enters perpendicular to a constant magnetic field B. The ratio of their radii of their paths  $r_H : r_\alpha$  will be

- (1) 4 : 1  
 (2) 1 : 4  
 (3) 2 : 1  
 (4) 1 : 2

<b>ANSWER</b>	<b>3</b>
---------------	----------

180. For a p-type semiconductor, which of the following statements is true?

- (1) Holes are the majority carriers and pentavalent atoms are the dopants  
 (2) Electrons are the majority carriers and pentavalent atoms are the dopants  
 (3) Electrons are the majority carriers and trivalent atoms are the dopants  
 (4) Holes are the majority carriers and trivalent atoms are the dopants

<b>ANSWER</b>	<b>4</b>
---------------	----------